
design**works:tiles**

ULTIMATE POOL & SPA




ULTIMATE POOL & SPA

Are we being shameless by calling this the ultimate collection of tiles for pools and spas? Although it is, in our opinion, our best selection yet of pool and poolside suitable products. But one of the vital elements is missing – your design. Your vision. The list of wants and needs translated into that pool of dreams.

The following pages are here to inspire, inform and guide you. But it's only together can we achieve the shining, shimmering, watery thing of beauty that will become the ultimate pool and spa.


"Water does not resist. Water flows. When you plunge your hand into it, all you feel is a caress."

Margaret Atwood, writer



Contents

Introduction	08-11
Inspiration	12-23
Pool Mosaics	24-69
Poolside and Spa	70-101
Feature Walls	104-133
Details	135
Safety	137
Important Information	138
Get in touch	139



Pools Past, Present and Future


The Great Bath at Mohenjo-Daro, Pakistan (in the Indus Valley) is the oldest known swimming pool in the world, probably built around the 3rd Millennium BC. To put that into context, that's the Bronze Age. Pyramids were being built in Egypt. The Great Pool (now an ancient monument) was for special religious functions where water was used to purify and renew. At 12 x 7 metres and 2.4 metres deep, it had two staircases, a brick floor and was filled by rainwater. Several centuries on, and the Romans were taking their bathing seriously too. Heated baths, cold plunge pools, treatments and areas for socialising were key structures in their villas and towns.

In the twenty first century swimming pools are built to fulfil many different functions: health, exercise, sport, relaxation, status, privacy, luxury, family fun, therapy, investment in a property. There are so many different formats too, from naturalistic ponds to roof top infinity pools. The choice is vast, the options almost endless.

What does the future hold? Your guess is as good as ours... wellbeing and health will probably be even more important than now, advances in technology and automation could revolutionise the use of materials and resources.

"Nothing is softer or more flexible than water, yet nothing can resist it."

Lao Tzu, Chinese philosopher



Why does my pool look blue?

Look at a glass of tap water and it is clear and colourless. And yet the water in pools and the sea appear to be shades of blue. Why?

It's all about the light. Sunlight is a spectrum of colours, through the rainbow from red to violet. When the light hits an object, some of the colours will be absorbed and some scattered. For example, an apple looks red because it absorbs all the other colours in the light and scatters only red. Water absorbs different wavelengths of sunlight to different degrees, with the longest wavelengths with the lowest energy being absorbed first. Red is the quickest to be absorbed, then orange then yellow. The blue end of the spectrum travels further through water before being absorbed. The colours disappear underwater in the same order.

The sea seems to be blue because it absorbs all the other colours and only the blue light is scattered or reflected. A glass of water is too small an amount for the reflection of the blue light to be obvious, but when you fill a white bath with water you will see a blue tint. Clean water always appears blue, and deeper water appears more deeply blue as more of the other colours of the spectrum are absorbed.

At what depth underwater do colours disappear?

Red 4.6m Orange 7.6m Yellow 10.7m

Green 21.3m – 22.8m



You can have anything you want ...

(well, within reason). Bring along your ideas, your lists of likes and dislikes. Your favourite colours and textures. If you're a creative type, why not put a mood board together? Or if not, a sketch on the back of an envelope will do. Tell us what you really really want out of your pool. We can provide the technical help and guidance on what's possible, safe and legal. And we can create incredibly realistic computer generated images (renders) to visualise just how your pool will look

"Everything you can imagine is real." Pablo Picasso


Why do you want a pool?

"If there is magic on this planet, it is contained in water."


Loran Eisely, anthropologis

As humans we have always been drawn to the magic of water. Our ancient ancestors had to seek out water to survive. Even now we are unconsciously drawn to glossy objects, with recent research with adults and young children testing the hypotheses that the preference for glossy surfaces stems from an innate preference for fresh water as a valuable resource. Your desire for a pool simply shows how in tune you are with our universal human needs.














Glass mosaics are the obvious choice for lining a pool. They're practical because the small chips of glass are joined together on the back with silicone dots and are flexible to install, so curves and irregular surfaces don't pose problems (see section on JointPoint® page 65. Other options are paper faced, see pages 68-69). Mosaics are easy to keep clean and fresh looking. They are safe when needed if you go for the slip resistant and Safe Step options (page 56-64). They're versatile because you can mix and match – and there is so much choice...



Cocktails 25mm

A range of glorious mosaics named after famous cocktails. Like their namesakes, they have been skillfully blended to suit different tastes and moods. With rich colours and shimmering effects, the Cocktail collection is intoxicating both above and below the water line.



aipirinha M-CPRHMOS








Grassnopper SM-GRASMOS




JointPoint® 🗸

Long Island SM-LNISMOS



Blue Lagoon SM-BLLAMOS




Blue Moon SM-BLMNMOS

Cocktails 25mm



Mojito SM-MOTOMOS



Manhattan



JointPoint® 🗸


Gin Fizz SM-GINFMOS



San Francisco SM-SNFRMOS



Eclipse SM-ECLPMOS




Cocktails 25mm



Daikiri SM-DAKIMOS







Margarita SM-MARGMOS



JointPoint® 🗸

Kir Royal SM-KIRRMOS



Cosmopolitan SM-COSPMOS



Alexander ◊ SM-ALEXMOS


Zen 25mm

Achieve a sense of balance and harmony with Zen mosaics – a range inspired by natural stone, marble and wood.

See page 58-59 for Safe Step slip resistant options



Makauba SM-MAKAMOS



Bluestone SM-BLSTMOS

Dolerite SM-DOLEMOS

All mosaics on this page are on a two week lead time









Carrara SM-CARRMOS



Ash SM-ZASHMOS



Sarsen SM-SARSMOS



Pale Cherry SM-PLCHMOS



Creamstone SM-CREMMOS



Oak SM-ZOAKMOS



Sandstone SM-SNSTMOS







Travertino SM-TRAVMOS

Zen 25mm

See page 58-59 for Safe Step slip resistant options






Phyllite SM-PHYLMOS



Black Marble SM-BLKMMOS

Fior Di Bosco SM-FIORMOS



Tigrato SM-TIGRMOS



Rustic SM-RUSTMOS



△ Palisandro



Palisandro SM-PALIMOS



Riverstone SM-RVSTMOS




Perla ◊ SM-PERLMOS

Nacar SM-NCARMOS

Iris 25mm

Choose Iris for dazzling iridescence and stunning colours. Now available in six new mixed blends.

All mosaics on this page are on a two week lead time







37


Ebano ◊ SM-EBANMOS


MARFIL SM-MRFLMOS












See page 57 for Safe Step slip resistant options

Azur SM-AZURMOS


Ocean SM-OCENMOS



















GREEN PEARL SM-GNPLMOS

Cuarzo SM-CRZOMOS

Jade SM-JADEMOS

Zafiro SM-ZAFRMOS

All mosaics on this page are on a two week order basis.



Sagittarius SM-SAGIMOS



Taurus SM-TAUMOS






Scorpio SM-SCORMOS





Leo SM-LEOMOS





Glow in the dark mosaics, charged with natural or artificial light. Available in random patterns or full-on light show effect.





Delphinus SM-DELMOS




All Fosfo mosaics are on a two week order basis.








Draco SM-DRAMOS



Lepus SM-LEPMOS



Serpens SM-SERMOS

Luminescent pigments in these tiles are charged by exposure to light, therefore the intensity and longevity of the glow-in-the-dark effect will vary depending on the prevailing lighting conditions.

All Fosfo mosaics are on a two week order basis.






Glow in the dark mosaics, charged with natural or artificial light.










Argo SM-ARGMOS

Luminescent pigments in these tiles are charged by exposure to light, therefore the intensity and longevity of the glow-in-the-dark effect will vary depending on the prevailing lighting conditions.

All Fosfo mosaics are on a two week order basis.









Metal_{25mm}

This stunning range in glass (not really metal at all) offers a sophisticated elemental look that is both contemporary and timeless





Inox SM-INOXMOS



Lava SM-LAVAMOS














Azurita SM-AZTAMOS





All Metal mosaics are on a two week order basis.


















Esmerelda SM-ESMMOS

Oxido SM-OXIDMOS

Niebla


25mm, 36mm, 50mm From the Spanish for 'fog' or 'mist'. Beautiful clouds of colour infused in to glass.

See page 60-64 for Safe Step slip resistant options


25mm mosaics shown actual size (36 & 50mm available in selected colours)














SM-2529MOS 3629-B 5029-B



SM-2522MOS 3622-B 5022-B



SM-2518MOS ◊ SM-3618MOS




SM-2510MOS ◊ 3610-A 5010-A

All mosaics on this page are on a two week lead time



SM-2586MOS 3686-B 5086-B



SM-2507MOS 3607-A 5007-A



SM-2585MOS 3685-B 5085-B

SM-2503MOS 3603-D 5003-D

Niebla

25mm, 36mm, 50mm

See page 60-64 for Safe Step slip resistant options

25mm mosaics shown actual size (36 & 50mm available in selected colours)





SM-2596MOS 3696-B 5096-B



2525-B 3625-B 5025-B



2523-B 3623-B 5023-B





SM-2597MOS 3697-B 5097-B



SM-2526MOS 3626-B 5026-B



2524-B 3624-B 5024-B




SM-2576MOS 3696-B 5096-B



2513-A 3613-A 5013-A

All mosaics on this page are on a two week lead time









SM-2501MOS 3601-B 5001-B

Solid colours in a range of tones to use on their own, or to contrast and define

25mm mosaics shown actual size (36mm available in selected colours)














All mosaics on this page are on a two week lead time





Technical characteristics

Cobre Safe Step SM-COBRMOS-SAS

Safe Step Mosaics

Step edges, wet room or steam room floors can be both stylish and safe with these slip resistant mosaics. A wide range of colours means they can be used to co-ordinate or contrast with other shades. Featuring a refined new finish called 'Safe Step', these mosaics have a softer feeling, foot friendly surface while maintaining good levels of slip resistance.





Arena Safe Step ◊ SM-ARENMOS-SAS

Jade Safe Step SM-JADEMOS-SAS

⁰ These products are available from stock. All other mosaics on this page are on a two week order basis.


Zen Safe Step 25mm



Fior Di Bosco SM-FIORMOS



Tigrato SM-TIGRMOS



Phyllite SM-PHYLMOS





Creamstone SM-CREMMOS



Oak SM-ZOAKMOS



Sandstone SM-SNSTMOS



Travertino SM-TRAVMOS




Technical characteristics Tested to: BS7976-2 Barefoot Wet (TRRL55 Wet) >44









Bluestone SM-BLSTMOS



Carrara SM-CARRMOS



Ash SM-ZASHMOS

Sarsen SM-SARSMOS

All mosaics on this page are on a two week lead time


Niebla safe step 25mm, 50mm Technical characteristics Tested to: BS7976-2 Barefoot Wet (TRRL55 Wet) >44












2529-SAS

SM-2518MOS-SAS

2507-SAS































⁰ These products are available from stock. All other mosaics on this spread are on a two week order basis.



Niebla Safe Step Edges


With the same slip resistant texture as the mosaics, these innovative corner pieces provide seamless and safe edging for the transition from pool side to pool and for step areas.


At 52mm in length, the pieces are also small enough to be used effectively to create curves. Sharp edges are completely eliminated with these corner pieces.

- · New low-abrasion Safe Step finish
- · Slip resistant for safety
- · For pool edges both straight and curved, step edges
- · Attractive finishing piece

Compatible with 25mm and 50mm moasics

· Easy to install at the same time as the tiling







JointPoint®

Mosaics shown in the previous section displaying the JointPoint® symbol (JointPoint®) use a technologically advanced system of silicone connections to hold individual mosaics together in panels. The silicone points are on the reverse of the mosaics and are designed to ensure that the sheets are laid uniformly, with up to 92% of the surface available for the application of adhesive, which results in better adhesion and superior grip. JointPoint® is very easy to work with and install – the sheets are flexible, controllable and easy to cut.

All JointPoint® mosaics shown on pages 27-63		
Individual tile size	Sheet size	
25 x 25 x 5mm	312 x 495mm	
36 x 36 x 5mm	334 x 334mm	
50 x 50 x 5mm	365 x 365mm	
98% of the glass used as a raw material in the production		

WATER IMMERSION TENSILE ADHESION STRENGTH


Each family type of mesh/glue backing system for mosaic tiles, recommended for water submerged conditions (not salt water), are tested in accordance with BSEN 1348:2007 Determination of Tensile Adhesive Strength for Cementitious Adhesives.

The tests are conducted by a UKAS accredited testing laboratory, number 0013. The mean value of water immersion tensile adhesion strength is determined for each family type of mesh/glue backing system after allowing for any discarded samples.

EN 12004:2007 + A1:2012 states that the tensile values for a C2 adhesive must be greater than or equal to 1.0 N/mm2. Each family type of mesh/glue backing system meets this requirement. For example, the JointPoint® family type of mesh/glue backing system yielded a result of 1.3 N/mm2.

It must be noted that each family mesh/glue backing system for mosaics is tested using Ardex x77 C2 adhesive. All test materials, including the adhesive being tested, were conditioned as required by the test method BSEN 1348:2007. The Ardex x77 adhesive was prepared in accordance with clause 7.0 of the EN 1348 standard.

Ardex x77 C2 adhesive is the recommended product for use with all JointPoint® Designworks/Original Style swimming pool mosaic tiles installed in submerged conditions. For salt water swimming pools we recommend the use of an epoxy adhesive only.





Iris Pura Gold 20mm SM-TR796G1MOS (shown) 10mm SM-TR796G1MOS10



Iris Pura Platinum 20mm SM-TR796P1MOS (shown) 10mm SM-TR796P1MOS10



Ari Atoll Gold 20mm SM-TR251G1MOS (shown) 10mm SM-TR251G1MOS10



Ari Atoll Platinum 20mm SM-TR251P1MOS (shown) 10mm SM-TR251P1MOS10



St Tropez Gold 20mm SM-TR242G1MOS (shown) 10mm SM-TR242G1MOS10



St Tropez Platinum 20mm SM-TR242P1MOS (shown) 10mm SM-TR242P1MOS10



Madulu Gold 20mm SM-TR247G1MOS (shown) 10mm SM-TR247G1MOS10



Madulu Platinum 20mm SM-TR247P1MOS (shown) 10mm SM-TR247P1MOS10



Mediterano Gold 20mm SM-TR244G1MOS (shown) 10mm SM-TR244G1MOS10



Mediterano Platinum 20mm SM-TR244P1MOS (shown) 10mm SM-TR244P1MOS10




Mentha Gold 20mm SM-TR253G1MOS (shown) 10mm SM-TR253G1MOS10



Mentha Platinum 20mm SM-TR253P1MOS (shown) 10mm SM-TR253P1MOS10



Sapphire Gold 20mm SM-TR239G1MOS (shown) 10mm SM-TR239G1MOS10




Sapphire Platinum 20mm SM-TR239P1MOS (shown) 10mm SM-TR239P1MOS10



Emerald Gold 20mm SM-TR236G1MOS (shown) 10mm SM-TR236G1MOS10



Emerald Platinum 20mm SM-TR236P1MOS (shown) 10mm SM-TR236P1MOS10





The enduring appeal of gold. The pieces of gold in these mixes are genuine gold leaf, encapsulated in glass to give that special glow that only comes from the real thing. And here's another interesting fact: unlike other metals, which in their pure form reflect light straight back, electrons in gold act in a way that the gold absorbs some of the blue spectrum light, giving the light that is reflected back its distinctive golden colour (see Why does my pool look blue? Page 9).

The colour mixes shown here are exclusively ours. These Trend mosaics are so new there is no installation photography to show you.

Why not be the first to have a Trend Mosaic pool?



Tiger's Eye Gold 20mm SM-TR270G1MOS (shown) 10mm SM-TR270G1MOS10



Tiger's Eye Platinum 20mm SM-TR270P1MOS (shown) 10mm SM-TR270P1MOS10



Abnoba Gold 20mm SM-TR228G1MOS (shown) 10mm SM-TR228G1MOS10




Abnoba Platinum 20mm SM-TR228P1MOS (shown) 10mm SM-TR228P1MOS10




20mm SM-TR260G1MOS (shown) 10mm SM-TR260G1MOS10




Purpura Platinum 20mm SM-TR260P1MOS (shown) 10mm SM-TR260P1MOS10



Iris Syreni Gold 20mm SM-TR798G1MOS (shown) 10mm SM-TR798G1MOS10




Iris Syreni Platinum 20mm SM-TR798P1MOS (shown) 10mm SM-TR798P1MOS10



Classic Paper-faced Mosaics


Traditional pool mosaics for a classic look

Plain Glass




Caicos SM-CAIMOSPF / 327 x 327 x 4mm

Iridescent Glass




St Kitts SM-STKMOSPF / 327 x 327 x 4mm



St Lucia SM-STLMOSPF / 327 x 327 x 4mm






Klondike GW-KLOMOSPF / 327 x 327 x 4mm




Magalia GW-MAGMOSPF / 327 x 327 x 4mm

Gold fleck glass

Rich, blended colours with glittering gold accents



Monte Cristo GW-MOCMOSPF / 327 x 327 x 4mm



Sequoia GW-SEQMOSPF / 327 x 327 x 4mm

Attractive, hard wearing and safe. There should be no compromise with safety when it comes to floor surfaces near pools and in wet areas. Only products that have the appropriate slip resistant qualities should be installed in these situations. But don't worry, there are plenty of options and different styles to choose from.





Highgate

600 x 300 x 10mm

Three soft stone-effect shades for walls and floors



Beige Slip Resistant CB05-049-6030 Beige Matt CB05-046-6030



Taupe Slip Resistant CB05-056-6030 Taupe Matt CB05-053-6030



Slip Resistant

FLOOR

Parefact Wat (TRPIES Wat

Barefoot Wet (TRRL55 Wet) = 5


These products are available on a special order basis.



Steel Slip Resistant CB05-063-6030 Steel Matt CB05-060-6030

Natural Elements

A collection of colour bodied porcelain tiles in four natural-effect colours and a choice of formats. plus a 20mm thick option in selected colours





White Slip Resistant

CB01-031-6030 / 600 x 300 x 9mm CB01-031-3030 / 300 x 300 x 9mm CB01-031-1515 / 150 x 150 x 9mm

20mm thick option available (see page 98) CB01-043-6060 / 600 x 600 x 20mm

White Matt

CB01-030-6060 / 600 x 600 x 9mm CB01-030-6040 / 600 x 400 x 9mm CB01-030-6030 / 600 x 300 x 9mm CB01-030-6020 / 600 x 200 x 9mm



Beige Slip Resistant

CB01-035-6030 / 600 x 300 x 9mm CB01-035-3030 / 300 x 300 x 9mm **CB01-035-1515** / 150 x 150 x 9mm

20mm thick option available (see page 98) CB01-044-6060 / 600 x 600 x 20mm



CB01-034-6060 / 600 x 600 x 9mm CB01-034-6030 / 600 x 300 x 9mm CB01-034-6030 / 600 x 300 x 9mm CB01-034-6020 / 600 x 200 x 9mm



Grey Slip Resistant

CB01-023-6030 / 600 x 300 x 9mm CB01-023-3030 / 300 x 300 x 9mm CB01-023-1515 / 150 x 150 x 9mm 20mm thick option available (see page 98) CB01-042-6060 / 600 x 600 x 20m

CB01-022-6060 / 600 x 600 x 9mm CB01-022-6030 / 600 x 300 x 9mm



Anthracite Slip Resistant

CB01-027-6030 / 600 x 300 x 9mm CB01-027-3030 / 300 x 300 x 9mm CB01-027-1515 / 150 x 150 x 9mm

Anthracite Matt

CB01-026-6060 / 600 x 600 x 9mm CB01-026-6030 / 600 x 300 x 9mm



Natural Elements Step tread 330 x 300mm

CB01-031-STEP White CB01-035-STEP Beige CB01-023-STEP Grev CB01-027-STEP Anthracite



Natural Elements Rounded Coving 300 x 170mm

CB01-031-COVE White CB01-035-COVE Beige CB01-023-COVE Grey CB01-027-COVE Anthracite





White Slip Resistant CB01-051-3030 / 600 x 300 x 10mm

CB01-051-6030 / 600 x 600 x 10mm

Beige Slip Resistant CB01-053-3030 / 600 x 300 x 10mm CB01-053-6030 / 600 x 600 x 10mm



Grey Slip Resistant

CB01-055-3030 / 600 x 300 x 10mm CB01-055-6030 / 600 x 600 x 10mm



Anthracite Slip Resistant

CB01-057-3030 / 600 x 300 x 10mm CB01-057-6030 / 600 x 600 x 10mm

Natural Features

Similar to Natural Elements (opposite) but with a smoother, less textured surface





These products are available on a special order basis.









Off White Structured CS751-6060 / 600 x 600 x 10mm CS751-6030 / 600 x 300 x 10mm



Off White Natural CS750-6060 / 600 x 600 x 10mm CS750-6030 / 600 x 300 x 10mm Off White Polished

CS752-6060 / 600 x 600 x 9mm CS752-6030 / 600 x 300 x 9mm



Mineral

The subtle colours of these beautiful tiles look fabulous on their own or when combined together. Available in three finishes for ultimate versatility

In this range: 600 x 300

600 x 600



Nude Structured CS745-6060 / 600 x 600 x 10mm CS745-6030 / 600 x 300 x 10mm



Nude Natural CS744-6060 / 600 x 600 x 10mm CS744-6030 / 600 x 300 x 10mm

Nude Polished CS746-6060 / 600 x 600 x 9mm CS746-6030 / 600 x 300 x 9mm





Portland Natural CS747-6060 / 600 x 600 x 10mm CS747-6030 / 600 x 300 x 10mm Portland Polished

CS749-6060 / 600 x 600 x 9mm CS749-6030 / 600 x 300 x 9mm





Concreto Structured CS736-6060 / 600 x 600 x 10mm

Barefoot Wet (TRRI 55 Wet) = 44

Concretto Natural CS735-6060 / 600 x 600 x 10mm Concretto Polished CS737-6060 / 600 x 600 x 9mm



Argento Structured
CS733-6060 / 600 x 600 x 10mm

Argento Natural
CS732-6060 / 600 x 600 x 10mm

600 x 600 x 10mm

Barefoot Wet (TRRL55 Wet) = 44

CS732-6060 / 600 x 600 x 10mm Argento Polished CS734-6060 / 600 x 600 x 9mm





Broadway Lime Structured CS1132-6060 / 600 x 600 x 10mm


FLOOR CTRR 55 Wet) = 59

Broadway Lime Satin CS753-6060 / 600 x 600 x 10mm





Mineral



Fendi Structured CS739-6060 / 600 x 600 x 10mm

Barefoot Wet (TRRL55 Wet) = 44

Fendi Natural CS738-6060 / 600 x 600 x 10mm Fendi Polished CS740-6060 / 600 x 600 x 9mm





The scale of the tile swatches shown may vary between ranges. Use the dimensions provided for an accurate gauge of size.

Barefoot Wet (TRRL55 Wet) = 44





Slate Chiara Bianco Structured CS765-6060 / 605 x 605 x 10mm



Absolute Mix and match with a palette of muted shades from light to dark, in two versatile finishes

In this range

600 x 600

Absolute



White Slate (Structured)

CB17-028-6030 / 600 x 300 x 10mm CB17-028-6060 / 600 x 600 x 10mm CB17-028-12060 / 1200 x 600 x 10mm



Barefoot Wet (TRRL55 Wet) = 52

White Natural

CB17-026-6030 / 600 x 300 x 10mm CB17-026-6060 / 600 x 600 x 10mm CB17-026-12060 / 1200 x 600 x 10mm





Light Grey Slate (Structured) CB17-024-6030 / 600 x 300 x 10mm CB17-024-6060 / 600 x 600 x 10mm CB17-024-12060 / 1200 x 600 x 10mm



Light Grey Natural

CB17-006-6030 / 600 x 300 x 10mm CB17-006-6060 / 600 x 600 x 10mm CB17-006-12060 / 1200 x 600 x 10mm





Mid Grey Slate (Structured)

CB17-020-6030 / 600 x 300 x 10mm CB17-020-6060 / 600 x 600 x 10mm CB17-020-12060 / 1200 x 600 x 10mm



Barefoot Wet (TRRL55 Wet) = 46

Grev Natural

CB17-018-6030 / 600 x 300 x 10mm CB17-018-6060 / 600 x 600 x 10mm CB17-018-12060 / 1200 x 600 x 10mm





Step Edge (Structured)

CB17-028-EDGE2 White

CB17-016-EDGE2 Grey

CB17-008-EDGE2 Black

CB17-024-EDGE2 Light Grey

CB17-020-EDGE2 Mid Grev

CB17-012-EDGE2 Dark Grey

Step Edge 600 x 325 x 10mm

CB17-026-EDGE2 White CB17-022-EDGE2 Light Grey CB17-018-EDGE2 Mid Grey CB17-014-EDGE2 Grey CB17-010-EDGE2 Dark Grey CB17-006-EDGE2 Black



Step Tread Slate (Structured)

600 x 300 x 10mm

CB17-028-GRAD2 White CB17-024-GRAD2 Light Grey CB17-020-GRAD2 Mid Grev CB17-016-GRAD2 Grey CB17-012-GRAD2 Dark Grey CB17-008-GRAD2 Black



Step Tread Natural 600 x 300 x 10mm

CB17-026-GRAD2 White CB17-022-GRAD2 Light Grey CB17-018-GRAD2 Mid Grev CB17-014-GRAD2 Grey CB17-010-GRAD2 Dark Grey CB17-006-GRAD2 Black





Grey Slate (Structured)

CB17-016-6030 / 600 x 300 x 10mm CB17-016-6060 / 600 x 600 x 10mm CB17-016-12060 / 1200 x 600 x 10mm





Grey Natural

CB17-014-6030 / 600 x 300 x 10mm CB17-014-6060 / 600 x 600 x 10mm CB17-014-12060 / 1200 x 600 x 10mm





Black Slate (Structured)

CB17-012-6030 / 600 x 300 x 10mm CB17-012-6060 / 600 x 600 x 10mm CB17-012-12060 / 1200 x 600 x 10mm



Barefoot Wet (TRRL55 Wet) = 54



Light Grey Natural

CB17-010-6030 / 600 x 300 x 10mm CB17-010-6060 / 600 x 600 x 10mm CB17-010-12060 / 1200 x 600 x 10mm





Black Slate (Structured)

CB17-008-6030 / 600 x 300 x 10mm CB17-008-6060 / 600 x 600 x 10mm CB17-008-12060 / 1200 x 600 x 10mm



Black Natural


CB17-006-6030 / 600 x 300 x 10mm CB17-006-6060 / 600 x 600 x 10mm CB17-006-12060 / 1200 x 600 x 10mm



Barefoot Wet (TRRL55 Wet) = 60

These products are available on a special order basis. The scale of the tile swatches shown may vary between ranges. Use the dimensions provided for an accurate gauge of size.

These products are available on a special order basis. The scale of the tile swatches shown may vary between ranges. Use the dimensions provided for an accurate gauge of size.



Ligh U M High performance wood-effect planks for wet and dry floors

1000 x 165 x 10.5mm



White Matt CB05-025-10016


Cream Matt CB05-028-10016

White Slip Resistant CB05-026-10016 CCB05-029-10016 Beige Slip Resistant CB05-032-10016 CB05-032-10016 Beige Matt CB05-031-10016

Grey Slip Resistant CB05-035-10016 Grey Matt CB05-034-10016














These products are available on a special order basis.



Lignum



CB05-026-STEP White Slip Resistant
CB05-029-STEP Cream Slip Resistant
CB20-032-STEP Beige Slip Resistant
CB20-035-STEP Grey Slip Resistant
CB20-041-STEP Taupe Slip Resistant
CB20-044-STEP Nut Slip Resistant
CB20-038-STEP Brown Slip Resistant

CB05-025-STEP White CB05-028-STEP Cream CB20-031-STEP Beige CB20-034-STEP Grey CB20-040-STEP Taupe CB20-043-STEP Nut CB20-037-STEP Brown





CB05-026-LSTEP White Slip Resistant CB05-029-LSTEP Cream Slip Resistant CB20-032-LSTEP Beige Slip Resistant CB20-035-LSTEP Grey Slip Resistant CB20-041-LSTEP Taupe Slip Resistant CB20-044-LSTEP Nut Slip Resistant CB20-038-LSTEP Brown Slip Resistant

CB05-025-LSTEP white CB05-028-LSTEP cream CB20-031-LSTEP beige CB20-034-LSTEP grey CB20-040-LSTEP taupe CB20-043-LSTEP nut CB20-037-LSTEP brown











Alamo

1000 x 200 x 11mm



Alamo Ash Slip Resistant CS1932-12020 Alamo Ash Matt CS1931-12020

Sandalo/Carvalo

1000 x 200 x 11mm



Sandalo Enea Slip Resistant C51936-12020 Sandalo Enea Matt C51935-12020





Gatcombe

Through bodied porcelain mosaics. Dot mounted on the reverse for maximum adhesion



Black Square Mosaic CS-PORBSQ / 302 x 302 x 6mm



Black & White Square Mosaic CS-PORWBSQ / 302 x 302 x 6mm





White Square Mosaic CS-PORWSQ / 302 x 302 x 6mm







Black Hexagon Mosaic CS-PORBHX / 322 x 278 x 6mm





Black & White Hexagon Mosaic CS-PORWBHX / 322 x 278 x 6mm








White Hexagon Mosaic CS-PORWHX / 322 x 278 x 6mm



Barefoot Wet (TRRL55 Wet) = 40











Belgravia 1200 x 600 x 10.5mm

Opulent and varied marble-effect tiles. 20mm thick options available (see page 101)





Statuario Structured CB29-008-12060 Barefoot Wet (TRRL55 Wet) = 44



Lasa Structured CB29-002-12060 Barefoot Wet (TRRL55 Wet) = 44



Travertino Structured CB29-025-12060 Barefoot Wet (TRRL55 Wet) = 44




Saint Laurent Structured CB29-031-12060 Barefoot Wet (TRRL55 Wet) = 44

These products are available on a special order basis.

The scale of the tile swatches shown may vary between ranges.

Use the dimensions provided for an accurate gauge of size.





Savana

Glazed porcelain in two versatile formats



lvory Slip Resistant CB35-003-9045 / 900 x 450 x 9mm CB35-003-6030 / 600 x 310 x 9mm



Grey Slip Resistant CB35-001-9045 / 900 x 450 x 9mm CB35-001-6030 / 600 x 310 x 9mm

In this range:



00 x 450

Soft Earth 600 x 300 x 9mm

Three subtle shades with a gently textured surface



White Slip Resistant CB35-011-6030




Ivory Slip Resistant CB35-013-6030



Grey Slip Resistant CB35-016-6030







Battersea 600 x 600 x 9mm

Realistic concrete effect tiles in three urban shades




White Structured CB09-059-6060



Grey Structured CB09-055-6060

These products are available on a special order basis.





Ash Structured CB09-063-6060







Fog Stone Slip Resistant CB23-13S-6060 / 600 x 600 x 11mm

CB23-13S-6030 / 600 x 300 x 11mm







Pewter Stone Slip Resistant CB23-04S-6060 / 600 x 600 x 11mm



CB23-04M-6060 / 600 x 600 x 11mm













Cloud Stone Slip Resistant CB23-11S-6060 / 600 x 600 x 11mm CB23-11S-6030 / 600 x 300 x 11mm



Cloud Matt CB23-11M-6060 / 600 x 600 x 11mm CB23-11M-6030 / 600 x 300 x 11mm





Ash Stone Slip Resistant
CB23-07S-6060 / 600 x 600 x 11mm
CB23-07S-6030 / 600 x 300 x 11mm
CB23-07M-6030 / 600 x 300 x 11mm

Shore Stone Slip Resistant CB23-14S-6060 / 600 x 600 x 11mm CB23-14S-6030 / 600 x 300 x 11mm



Shore Matt CB23-14M-6060 / 600 x 600 x 11mm CB23-14M-6030 / 600 x 300 x 11mm





Gallery

High performance tiles with textured slip resistant finish for wet areas and a smooth matt option for walls and dry floors

In this range:





Denim Stone Slip Resistant CB23-17S-6060 600 x 600 x 11mm CB23-17S-6030 600 x 300 x 11mm











Surf Stone Slip Resistant

CB23-10S-6060 / 600 x 600 x 11mm CB23-10S-6030 / 600 x 300 x 11mm CB23-10S-6030 / 600 x 300 x 11mm







These products are available on a special order basis.

Tough and robust at 20mm thick, these tiles which are more like slabs are designed to withstand a great deal of wear and tear. Their rustic look is perfect for outdoor pool surrounds, coping and edgings. We can also create bespoke pieces from these thicker tiles such as grills, gradino profiles and skirtings in-house (see page 133).



Natural Elements 20mm 600 x 600 x 20mm

Standard thickness tiles available in a several formats (see page 74)



CB01-043-6060








Grey 20mm CB01-042-6060

These products are available on a special order basis.



Natural Features 20mm 600 x 600 x 20mm

Standard thickness tiles available in a several formats (see page 75)



Stone 20mm CB01-052-6060



Sand 20mm CB01-054-6060



Grey 20mm CB01-050-6060



Graphite 20mm CB01-056-6060



These products are available on a special order basis.

Greenwich Park 20mm 600 x 600 x 20mm

Four natural tones with a riven texture



Sand 20mm CB15-004-6060



Rust 20mm CB15-008-6060



Brown 20mm CB15-006-6060



Grey 20mm CB15-002-6060



These products are available on a special order basis.



Belgravia 20mm

Opulent and varied marble-effect tiles. Also available as standard thickness floor tiles on page 90, and for feature walls on pages 126-129



Statuario 20mm CB29-011-12040



Travertino 20mm CB29-027-12040



These products are available on a special order basis.

Add drama with a feature wall or walls.
Choose from large formats that look like stone and marble, distressed metallic effects, realistic faux wood planking and splitface natural stone.



Amelia



Three gorgeous co-ordinating colours, attractive veining effects (and minimal repeats due to a large number of faces per option) and a range of sizes make Amelia a stand out choice for walls

White CS1061-9015 / 890 x 145 x 10mm CS1061-9045 / 890 x 442 x 10mm CS1061-9022 / 890 x 220 x 10mm



Grey CS1062-9015 / 890 x 145 x 10mm CS1062-9045 / 890 x 442 x 10mm CS1062-9022 / 890 x 220 x 10mm



890 x 145

890 x 220

890 x 442

WALL



Carbon CS1063-9015 / 890 x 145 x 10mm CS1063-9045 / 890 x 442 x 10mm CS1063-9022 / 890 x 220 x 10mm

Marmi Classico

1200 x 600 x 11mm

Polished rectified glazed porcelain



Paille St. Laurent CS1144-12060



Noir St. Laurent CS1143-12060



Nero Marquina CS1634-12060



The scale of the tile swatches shown may vary between ranges. Use the dimensions provided for an accurate gauge of size.



Marmi Unici 1200 x 200 x 11mm

Matt rectified glazed porcelain





Greige CS1136-12020



The scale of the tile swatches shown may vary between ranges. Use the dimensions provided for an accurate gauge of size.



Semi-polished porcelain plank tiles, with a soft metallic effect

1169 x 190 x 11mm













Brasilia

Matt rectified glazed porcelain



In this range: 600 x 300 600 x 600 1200 x 200

Brasilia Cinza CS936-12020 / 1200 x 200 x 11mm CS936-6060 / 600 x 600 x 10mm CS936-6030 / 600 x 300 x 10mm



Celaya

Matt rectified glazed porcelain



White CS1204-6030 / 600 x 300 x 10mm CS1204-6060 / 600 x 300 x 10mm





Grey CS1205-6030 / 600 x 300 x 10mm




Black CS1206-6030 / 600 x 300 x 10mm

WALL







Metal Effect Metallic finish glazed porcelain



Metallic Steel CS974-6030 / 600 x 300 x 10mm CS974-6060 / 600 x 600 x 10mm




Metallic Copper CS975-6030 / 600 x 300 x 10mm CS975-6060 / 600 x 600 x 10mm





Metallic Steel Linear Mosaic CS974-LINMOS / 300 x 300 x 10mm



Metallic Copper Linear Mosaic CS975-LINMOS / 300 x 300 x 10mm



The scale of the tile swatches shown may vary between ranges. Use the dimensions provided for an accurate gauge of size.


Steel Matt

Porcelain with the look of aged steel



Steel Matt CS944-12060 / 1200 x 600 x 12mm





Canela and Ash Tree

Realistic wooden clapboard-effect tiles in two colours, each with a coordinating wood-effect plank option



Ash Tree Clapboard Textured Matt Glazed Ceramic CS1142-9030 / 900 x 300 x 12mm



Canela Clapboard Textured Matt Glazed Ceramic CS1140-9030 / 900 x 300 x 12mm





Canela Matt Rectified Glazed Porcelain CS1141-12020 / 1200 x 200 x 11mm







Painted 1169 x 190 x 11mm

Wood-effect planks with a clever reclaimed, stripped-paint style



Beige Matt Rectified Glazed Porcelain CS1049-12020

Grey Matt Rectified Glazed Porcelain CS1050-12020

rcelain Porcelain 120 CS1050-12020

Arbo Carvalho 1169 x 190 x 11mm

Intricate relief decoration over a convincing wood-effect finish



Carvalo Décor Rectified Glazed Porcelain CS1053-12020







Sisal

Porcelain wall tiles with all the detail and texture of woven sisal



Sisal Rectified Glazed Porcelain CS787-9015 / 877 x 145 x 10mm



Atenas

The appearance of split-face stone recreated on tiles



Atenas Matt Textured Porcelain CS1044-9015 / 900 x 150 x 10mm





Splitface Stone

Natural stone interlocking mosaics for a dramatic feature wall. The quartz colours have an extra sparkling quality too



White Quartz EW-WHQZPAN6015 / 600 x 150 x 15-20mm





Rusty Quartz EW-RSQZPAN6015 / 600 x 150 x 15-20mm





Black Slate EW-BLSLPAN6015 / 600 x 150 x 8-13mm





Black Quartz EW-BLQZPAN6015 / 600 x 150 x 15-20mm







Shoreditch

Glazed porcelain tiles with a highly textured matt finish and three earthy colours for walls



Pebble Mix CB07-007-Mix / 300 x 600 x 11mm



Pebble Mosaic CB07-006-MOS / 300 x 300 x 11mm



Pebble Tredi CB07-008-TREDI / 300 x 600 x 11mm



Fossil Mix CB07-011-Mix / 300 x 600 x 11mm



Fossil Mosaic CB07-010-MOS / 300 x 300 x 11mm



Fossil Tredi CB07-012-TREDI / 300 x 600 x 11mm



Earth Mix CB07-003-Mix / 300 x 600 x 11mm

These products are available on a special order basis.

The scale of the tile swatches shown may vary between ranges.
Use the dimensions provided for an accurate gauge of size.




Earth Mosaic CB07-002-MOS / 300 x 300 x 11mm



Earth Tredi CB07-004-TREDI / 300 x 600 x 11mm





Belgravia

Opulent and varied marble-effect tiles.
Floor tile options in selected colours are available on pages 90 and 103

Lasa



CB29-001-12030 / 1200 x 600 x 10.5mm / Rectified Matt CB29-003-11629 / 1160 x 290 x 10.5mm / Rectified Polished Statuario



CB29-007-12030 / 1200 x 600 x 10.5mm / Rectified Matt CB29-009-11629 / 1160 x 290 x 10.5mm / Rectified Polished



CB29-001-12060 / 1200 x 600 x 10.5mm / Rectified Matt CB29-003-11658 / 1160 x 580 x 10.5mm / Rectified Polished



CB29-007-12060 / 1200 x 600 x 10.5mm / Rectified Matt CB29-009-11658 / 1160 x 580 x 10.5mm / Rectified Polished



CB29-070-6030 / 600 x 300 x 8mm



CB29-005-3030 300 x 300 x 10mm Honed Mosaic



CB29-073-6030 / 600 x 300 x 8mm Textured Gloss Ceramic




CB29-012-3030 300 x 300 x 10mm Honed Mosaic



CB29-038-2118 210 x 182 x 9.5mm Rectified Matt







These products are available on a special order basis.

The scale of the tile swatches shown may vary between ranges.

Use the dimensions provided for an accurate gauge of size.

Belgravia

Opulent and varied marble-effect tiles. Floor tile options in selected colours are available on pages 90 and 103

Travertino



CB29-024-12030 / 1200 x 300 x 10.5mm / Rectified Matt CB29-026-11629 / 1160 x 290 x 10.5mm / Rectified Polished

Saint Laurent



CB29-030-12030 / 1200 x 300 x 10.5mm / Rectified Matt CB29-032-11629 / 1160 x 290 x 10.5mm / Rectified Polished



CB29-024-12060 / 1200 x 600 x 10.5mm / Rectified Matt CB29-026-11658 / 1160 x 580 x 10.5mm / Rectified Polished



CB29-028-3030 Mosaic 300 x 300 x 10mm Rectified Honed



CB29-040-2118 210 x 182 x 9.5mm Rectified Matt



CB29-030-12060 / 1200 x 300 x 10.5mm / Rectified Matt CB29-032-11658 / 1160 x 290 x 10.5mm / Rectified Polished



CB29-033-3030 Mosaic 300 x 300 x 10mm





Verres Matt rectified unglazed porcelain

Dramatic marble effects and three distinctive colour options




Glacier CB20-002-9015 900 x 150 x 10mm



Rock CB29-003-12030 900 x 150 x 10mm

Earth CB29-001-12030 900 x 150 x 10mm






Glacier CB20-006-MOS 300 x 300 x 10mm



Rock CB20-005-MOS 300 x 300 x 10mm



Earth CB20-004-MOS 300 x 300 x 10mm



Montblanc

High gloss wall tiles with the appearance of hand crafted ceramic

White



CS1034-5020 / 500 x 200 x 9mm / Gloss Ceramic



CS1034-3007 / 300 x 75 x 9mm / Gloss Ceramic

Anthracite



CS1037-5020 / 500 x 200 x 9mm / Gloss Ceramic



CS1037-3007 / 300 x 75 x 9mm / Gloss Ceramic



CS1041-5020 / 500 x 200 x 9mm / Gloss Scored Ceramic

Pearl





CS1035-3007 / 300 x 75 x 9mm / Gloss Ceramic

Blue




CS1036-5020 / 500 x 200 x 9mm / Gloss Ceramic




CS1036-3007 / 300 x 75 x 9mm / Gloss Ceramic



CS1040-5020 / 500 x 200 x 9mm / Gloss Scored Ceramic





DETAILS

Why let the poolside let the side down?

Pool drainage hardware is traditionally metal, plastic or composite:
all very useful materials that do the job, just not very pretty.
For uncompromising style and a near-seamless look we can engineer drainage grilles, pool edges and bullnosed finishing pieces from the same slip resistant porcelain as the main floor.

Elevate your design from grand to sublime with a bespoke pool side solution.



Please note, bespoke drainage peices are subject to suitability and compatibility with the chosen flooring products.

Portable Skid Tester Stanley London

SAFETY

All tiling products used for flooring need to meet specific criteria.

Our products have passed the tests

There is a duty of care upon all flooring designers, manufacturers, distributors, installers, contractors and on the architects who specify flooring to ensure that flooring surfaces are fit for purpose and meet the Health and Safety Executive's guidelines for slip resistance.

Our tiles are tested for slip resistance and a number of other properties.

Pendulum tests are carried out on our premises by our technical team, to determine the barefoot wet co-efficient of friction using a TRRL55 rubber slider.

Tile suitability is indicated on each product page of this brochure.

See overleaf for more information on slip testing methods





Pools & hot tubs (suitable for submersio (suitable for submersion)



Walls in dry areas



Wet & dry walls (inc showers & wet ro (inc showers & wet rooms) FLOOR Floors in dry areas



Wet & dry floors (inc showers & wet room) (inc showers & wet rooms)



nternal use only



Internal & external use

Samples and story boards are available on request.

Nominal sizes and thicknesses are shown throughout the brochure. All dimensions are subject to a tolerance of ± 2.5mm. When calculating the number of mosaic sheets you will require. please do not forget to make 5% allowance for cutting and

Colour Variations

There may be distinctive yet subtle variations in shade in many of **Gold Fleck and Iridescent Mosaics** the mosaics and tiles included in this brochure. A single sample

The surfaces of some of the gold fleck and iridescent mosaics are tile should not be taken as a completely accurate indication of

Adhesives and Grouts

The water in your pool must have a pH balance of between 7.2 and removable protective sealer prior to installation. 8 to eliminate acid and high alkali attacking the grout, which can cause the tiles to debond. Please be aware that all grouts have different water absorption properties. We recommend that your grout should be between 0.05% and 0.1% water absorption. Some grouts can have up to 7% water absorption, which is likely to affect the adhesion and cause the tiles to debond. Always follow the manufacturers' instructions.

Coloured grouts may be used on our mosaics, however, they may alter the overall appearance of the mosaic colour. If they are used, we strongly recommend that a small area is tested before installation. Please be aware that certain grouts are not UV resistant and will fade when placed in direct sunlight. Please contact the grout manufacturer for further advice. When installing mosaics alongside thicker tiles that are not in pools, e.g. as a border, we recommend a packing material such as P.C.I Pecidur

Pools and Power Showers

If using our tiles within in a pool that has water movement e.g. flumes and slides, or if using in a shower area which has a power shower, it is important to use adhesive and grout products specified for the purpose. For further advice please contact us.

NB Original Style makes no representations as to the fitness for purpose of third party adhesives and grouts.

Glass Mosaics - Maintenance and Cleaning

Please note, the use of certain acid based cleaning products may cause some mosaics to react and change in character. Do not use hydrofluoric acid pool cleaners as these will have an adverse effect on the mosaics. We recommend the use of pH neutral cleaning products on our tiles unless stated otherwise. Regular cleaning of mosaics is recommended as a build up of certain deposits (such as magnesium and calcium) can be detrimental, even causing acid etching on the surface. These are difficult or, in some cases, impossible to remove if left.

Glass Mosaics - Scratching

As with all glass products, glass mosaics can be scratched. Care should be taken in installation and that glass mosaics are not put in high-risk areas for scratching. It is important to use a fine grade or non-sanded grout to avoid scratching the surface of glass mosaics. Glass mosaics should not be used on counter tops because of the likelihood of scratching.

Glass Mosaics - Use Near Heat Sources

Original Style recommends mosaics are installed a minimum of 3cm from any direct heat source. As glass is a very good conductor of heat caution must be taken when considering installation in areas of extreme heat.

It is important to keep all Original Style tiles and also any fixing materials such as grouts and adhesives in a cool and dry area before installation.

Photography

Owing to variations in studio lighting and printing inks, the tile colours shown in this brochure may differ slightly from those of the actual tiles. Before making your choice it is always advisable to

very slightly pitted, which is one of their inherent features. Unless they are sealed first, any pitted surface may become unavoidably filled during the grouting process, resulting in a speckled appearance. We recommend that these tiles are sealed with a

Please test a small inconspicuous area before installation. following all manufacturers' instructions.

Slip Resistance testing methods

Pendulum Barefoot Wet (BS7976-2 TRRL 55)

This is a swinging arm test apparatus to determine the wet coefficient of friction using a rubber slider that simulates a bare foot in wet conditions.

Accepted limits for flooring using this technique are as

Range
19 and below
20 to 39
40 to 74
75 and above

Limits of Liability

Original Style accepts no liability for the faulty installation of its tiles. In the case of any claim relating to the tiles themselves, Original Style's liability, to the extent permitted by law, is limited to either the replacement of the product or a refund of the cost of the product, and does not extend to cover any consequential loss. Tiles must be inspected prior to installation and claims cannot be considered after the tiles have been installed. Claims must be reported within seven working days from receipt of the tiles. Tile sizes may vary slightly from the stated nominal dimensions within internationally accepted standards. Please be advised that installation constitutes acceptance of the quality, colour, texture, size and shade of the tiles. Please note the use of certain acid-based cleaning products may cause some of the tiles to react and change in character. Original Style warrants that its tiles conform to their description and are fit for their purpose. Original Style makes no representations as to the fitness for purpose of third party adhesives and grouts.


Original Style makes no other express or implied warranty as to fitness or suitability of the products for particular installations. We extend no guarantees, express or implied, as to wear resistance or maintenance procedures.

GET IN TOUCH

139

...by phone, email, or why not join us for a coffee and a chat at our Clerkenwell showroom? Whatever works for you – works for us!

> SHOWROOM: 91 St. John Street, London EC1M 4NU tel: 0203 751 2235 HQ: Falcon Road, Exeter, EX2 7LF tel: 01392 473037 info@designworkstiles.com / www.designworkstiles.com



design**works:tiles**

SHOWROOM: 91 St. John Street, London EC1M 4NU tel: 0203 751 2235 HQ: Falcon Road, Exeter, EX2 7LF tel: 01392 473037 info@designworkstiles.com / www.designworkstiles.com

The 'Designworks' logo is a registered trade mark of Original Style Ltd.
Original Style Limited is registered in England number 3018117.
Registered Office: Falcon Road, Sowton Industrial Estate,
Exeter, Devon, England EX2 7LF

DWULPOOL1 ©Designworks Tiles 2018